



# Safety Data Sheet

according to WHS Regulations

Page 1/6

Printing date 31.01.2018

Revision: 31.01.2018

## 1 Identification

**Product Name:** AIR DUSTER (Part # 211812)

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:** Cleaning

**Details of Manufacturer or Importer:**

Primus Australia Pty Ltd trading as Companion Brands  
3/20 Enterprise Drive,  
Bundoora VIC 3083

**Phone Number:** 03 9468 4400

**Emergency telephone number:** National Poison Information Centre: 13 11 26

## 2 Hazard(s) Identification

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



flame

Flammable Gases 1 H220 Extremely flammable gas.



gas cylinder

Press. Gas C H280 Contains gas under pressure; may explode if heated.

**Signal Word** Danger

**Hazard Statements**

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

**Precautionary Statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Hazardous Components:**

74-98-6	Propane	Flammable Gases 1, H220; Press. Gas L, H280	30 - 60%
75-28-5	Propane, 2-methyl-	Flammable Gases 1, H220; Press. Gas C, H280	30 - 60%
106-97-8	Butane	Flammable Gases 1, H220; Press. Gas C, H280	30 - 60%
124-38-9	Carbon dioxide	Press. Gas C, H280	2%

**Additional information:** This product contains less than 0.1% butadiene (CAS No. 106-99-0)

(Contd. on page 2)

# Safety Data Sheet

according to WHS Regulations

Printing date 31.01.2018

Revision: 31.01.2018

**Product Name: AIR DUSTER (Part # 211812)**

(Contd. of page 1)

## 4 First Aid Measures

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap for at least 15 minutes.

If frostbite or freezing has occurred, warm the skin with warm water and gently wrap in a blanket. Seek medical attention if symptoms occur.

**Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water or saline solution for at least 15 minutes. Seek medical attention if symptoms occur.

**Ingestion:**

If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

**Symptoms Caused by Exposure:**

Inhalation: Simple asphyxiant. This product displaces air and may cause unconsciousness and death. May cause Central Nervous System (CNS) depression, difficulty breathing, nausea, vomiting, coma or paralysis. Concentration above 19000 ppm may pose immediate danger to life.

Skin Contact: Contact may cause freezing or frostbite.

Eye Contact: Contact may cause frostbite and loss of vision.

Ingestion: Ingestion is not considered a likely route of exposure, but may cause frostbite or freezing of the mouth and throat.

## 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Water fog, dry chemical or carbon dioxide.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon.

Product is extremely flammable. Vapours are heavier than air and may travel considerable distances to a source of ignition where they can ignite, flashback, or explode.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak only if safe to do so. Collect leaking container(s) and place in a well ventilated area until gas disperses. Water fog can be used to disperse gas. Dispose according to applicable local and state government regulations.

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 31.01.2018

Revision: 31.01.2018

**Product Name: AIR DUSTER (Part # 211812)**

(Contd. of page 2)

### 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Do not expose to temperatures exceeding 38°C. Keep away from strong oxidising agents, nitric acid, chlorine dioxide, carbonyl nickel and acids.

### 8 Exposure Controls and Personal Protection

**Exposure Standards:**
**74-98-6 Propane**

WES Asphyxiant

**106-97-8 Butane**
WES TWA: 1900 mg/m<sup>3</sup>, 800 ppm
**124-38-9 Carbon dioxide**

WES STEL: 54000 mg/m<sup>3</sup>, 30000 ppm  
TWA: 9000 \*22500 mg/m<sup>3</sup>, 5000 \*12500 ppm  
\*in coal mines

**Engineering Controls:**

Maintain air concentration below occupational exposure standards, providing adequate ventilation. Use explosion-proof ventilating equipment.

**Respiratory Protection:**

Use an approved air-supplied respirator or self-contained breathing apparatus under conditions where high concentrations are likely and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

Leather, wool or aramid blend gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting hand protection, the product should comply with relevant performance criteria. For example gloves should be insulated to provide protection against the cold.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against foreign objects. See Australian/New Zealand Standard AS/NZS 1337 for more information.

### 9 Physical and Chemical Properties

**Appearance:**
**Form:**

Compressed gas

**Colour:**

Colourless

**Odour:**

Odourless. Occasionally smells like rotten garlic.

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Printing date 31.01.2018

Revision: 31.01.2018

**Product Name: AIR DUSTER (Part # 211812)**

(Contd. of page 3)

<b>Odour Threshold:</b>	Not determined.
<b>pH-Value:</b>	Not determined.
<b>Melting point/freezing point:</b>	-187.7 - -56.6 °C
<b>Initial Boiling Point/Boiling Range:</b>	-42.1 - -0.5 °C
<b>Flash Point:</b>	-104.4 - -73.3 °C
<b>Flammability:</b>	Extremely flammable
<b>Ignition Temperature</b>	287 - 466.1 °C
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	1.8 - 2.2 Vol %
<b>Upper:</b>	8.4 - 9.5 Vol %
<b>Vapour Pressure at 20 °C:</b>	0.214 - 0.750 MPa
<b>Relative Density at 20 °C:</b>	0.501 - 1.524
<b>Vapour Density:</b>	1.55 - 2.595
<b>Evaporation Rate:</b>	Not applicable
<b>Solubility in Water at 20 °C:</b>	0.007 g/100mL (Propane)
<b>Partition Coefficient (n-octanol/water):</b>	0.83 - 2.89 log POW

## 10 Stability and Reactivity

### Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur.

Presence of a strong oxidising agent may cause fire or explosion.

May explode if mixed with acids or carbonyl nickel and heated to 20 - 40 °C.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.**Conditions to Avoid:** Heat, sparks, open flames and other sources of ignition.**Incompatible Materials:** Strong oxidising agents, nitric acid, chlorine dioxide, carbonyl nickel and acids.**Hazardous Decomposition Products:** Oxides of carbon.

## 11 Toxicological Information

### Toxicity:

#### LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:

##### 74-98-6 Propane

Inhalation LC<sub>50</sub>/4 h 658 mg/l (rat)

##### 106-97-8 Butane

Inhalation LC<sub>50</sub>/4 h 658 mg/l (rat)

### Acute Health Effects

#### Inhalation:

Simple asphyxiant. This product displaces air and may cause unconsciousness and death. May cause CNS depression, difficulty breathing, nausea, vomiting, coma or paralysis. Concentration above 19000 ppm may pose immediate danger to life.

**Skin:** Contact may cause freezing or frostbite.**Eye:** Contact may cause frostbite and loss of vision.

#### Ingestion:

Ingestion is not considered a likely route of exposure, but may cause frostbite of freezing of the mouth and throat.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

## Safety Data Sheet

according to WHS Regulations

Printing date 31.01.2018

Revision: 31.01.2018

**Product Name: AIR DUSTER (Part # 211812)**

(Contd. of page 4)

**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

### 12 Ecological Information

**Ecotoxicity:** No further relevant information available.**Aquatic toxicity:** No further relevant information available.**Persistence and Degradability:** No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

### 14 Transport Information

<b>UN Number</b>	
<b>ADG, IMDG, IATA</b>	UN1950
<b>Proper Shipping Name</b>	
<b>ADG, IMDG, IATA</b>	AEROSOLS
<b>Dangerous Goods Class</b>	
<b>ADG Class:</b>	2.1
<b>Packing Group:</b>	Not applicable
<b>EMS Number:</b>	F-D,S-U
<b>Hazchem Code:</b>	Not applicable
<b>Special Provisions:</b>	63, 190, 277, 327, 344, 381
<b>Limited Quantities:</b>	1L

(Contd. on page 6)

# Safety Data Sheet

## according to WHS Regulations

Printing date 31.01.2018

Revision: 31.01.2018

**Product Name: AIR DUSTER (Part # 211812)**

(Contd. of page 5)

**Packagings & IBCs - Packing Instruction:** P207, LP200**Packagings & IBCs - Special Packing Provisions:** PP87, L2

### 15 Regulatory Information

#### Australian Inventory of Chemical Substances:

74-98-6	Propane
75-28-5	Propane, 2-methyl-
106-97-8	Butane
124-38-9	Carbon dioxide

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**  
Not Scheduled.

### 16 Other Information

**Date of Preparation or Last Revision:** 31.01.2018**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC<sub>50</sub>: Lethal concentration, 50 percent  
 LD<sub>50</sub>: Lethal dose, 50 percent  
 IARC: International Agency for Research on Cancer  
 STEL: Short Term Exposure Limit  
 TWA: Time Weighted Average  
 NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)  
 Flammable Gases 1: Flammable gases – Category 1  
 Press. Gas C: Gases under pressure – Compressed gas  
 Press. Gas L: Gases under pressure – Liquefied gas

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Primus Australia Pty Ltd trading as Companion Brands makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet.

MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.